HW:Huawei-AX2-Pro Datasheet

Get a Quote

Overview

Huawei Router AX2 Pro, 5GHz WiFi6, full Gigabit Ethernet port, enjoy 4K video, HUAWEI HomeSec security protection

Specification

Huawei AX2 Pro WiFi 6 Router Specification	
Dimensions and weight	**Length** 205 mm **Width** 120 mm **Thickness** 39 mm Note: The actual size may vary depending on the configuration, manufacturing process, and measurement method. **Weight** Host weight: about 240 g Note: The actual weight may vary depending on the configuration, manufacturing process, and measurement method.
WLAN specifications	**Transmission standard** Support IEEE 802.11b/g/n Support IEEE 802.11ax/ac/n/a Support 2x2 MIMO **Wireless rate** 2.4 GHz theoretical negotiation rate is 300 Mbps 5 GHz theoretically negotiated rate is 1201 Mbps Total theoretical negotiation rate 1501 Mbps **Wireless frequency band** 2.4 GHz & 5 GHz, support WiFi 5 GHz optimization
Antenna	**WLAN antenna type** External antenna
Storage	128 MB RAM + 128 MB ROM Note: The usable memory capacity is less than this value because the software occupies part of the space.
Network port	WAN and LAN interface self-adaptation: the home network cable can be plugged into any network port, and all users can access the Internet. Provide 4 Ethernet interfaces with 10/100/1000 Mbps adaptive rate.

Button	Huawei H (or Hi) button
	Support Huawei H button one-click access to HiLink smart devices, WPS wireless devices
	Reset button
	Independent Reset reset hole
LED indicator	"H" indicator light: one light position, two colors (red, green)
Power consumption	**Power consumption**
	Product power consumption: <12 W
	AC/DC power supply
	Product power supply: 12V DC, 1A
	Input voltage: 200-240V AC
	Input voltage frequency: 50-60 Hz
Software function	APP: Huawei Smart Life APP
	Support Huawei HiLink and 802.11kv protocol, PPPoE/DHCP/static IP/Bridge WAN Internet access, blind plug-in of the network port, intelligent acceleration, remote control, Wi-Fi timer switch, guest Wi-Fi, Wi-Fi anti-brute force cracking, WPA3 , MAC address filtering, children's Internet protection, VPN penetration, DMZ/virtual server, etc.
Safety	**Firewall security management**
	HUAWEI HomeSecTM security protection
	Support Wi-Fi anti-brute force cracking, anti-scratching network, anti-camera hijacking
	Child online protection
	Support time limit, payment limit, game limit, video limit, social limit, bad website blocking, etc., to protect children's healthy surfing.
Surroundings	**Temperature**
	Working temperature
	Working temperature: 0 40 (32 104)
	Product storage temperature
	Storage temperature: -40 70 (-40 158)
	Humidity
	5% 95% (non-condensing)
Packing list	Power adapter: 1
	User Manual: 1 copy
	Router: 1

Want to Buy

Order Now   Get a Quote

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of Cisco, Huawei, HPE, Dell, Hikvision, Juniper, Fortinet, etc.

200+
Countries we Sold

18,000+
Customers Trusted

$20,000,000
Inventory Available

50%-98%
Off Global List Price

100%
Safe Online Shopping

Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com